

Appendix A

AP BIOLOGY EQUATIONS AND FORMULAS

| STATISTICAL ANALYSIS AND PROBABILITY | | | | | | | | |
|---|--------------------|---|---|-------|------------------------|-------|-------|-------|
| Mean | | | Standard Deviation* | | | | | |
| $\bar{x} = \frac{1}{n} \sum_{i=1}^n x_i$ | | | $s = \sqrt{\frac{\sum (x_i - \bar{x})^2}{n - 1}}$ | | | | | |
| Standard Error of the Mean* | | | Chi-Square | | | | | |
| $SE_{\bar{x}} = \frac{s}{\sqrt{n}}$ | | | $\chi^2 = \sum \frac{(o - e)^2}{e}$ | | | | | |
| CHI-SQUARE TABLE | | | | | | | | |
| <i>p</i> value | Degrees of Freedom | | | | | | | |
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 0.05 | 3.84 | 5.99 | 7.81 | 9.49 | 11.07 | 12.59 | 14.07 | 15.51 |
| 0.01 | 6.63 | 9.21 | 11.34 | 13.28 | 15.09 | 16.81 | 18.48 | 20.09 |
| LAWS OF PROBABILITY | | | | | METRIC PREFIXES | | | |
| If A and B are mutually exclusive, then: $P(A \text{ or } B) = P(A) + P(B)$ | | | | | Factor | | | |
| If A and B are independent, then: $P(A \text{ and } B) = P(A) \times P(B)$ | | | | | Prefix | | | |
| HARDY-WEINBERG EQUATIONS | | | | | Symbol | | | |
| $p^2 + 2pq + q^2 = 1$ | | p = frequency of allele 1 in a population | | | 10 ⁹ | | | |
| $p + q = 1$ | | q = frequency of allele 2 in a population | | | 10 ⁶ | | | |
| | | | | | 10 ³ | | | |
| | | | | | 10 ⁻² | | | |
| | | | | | 10 ⁻³ | | | |
| | | | | | 10 ⁻⁶ | | | |
| | | | | | 10 ⁻⁹ | | | |
| | | | | | 10 ⁻¹² | | | |
| <p>Mode = value that occurs most frequently in a data set</p> <p>Median = middle value that separates the greater and lesser halves of a data set</p> <p>Mean = sum of all data points divided by number of data points</p> <p>Range = value obtained by subtracting the smallest observation (sample minimum) from the greatest (sample maximum)</p> <p>*For the purposes of the AP Exam, students will not be required to perform calculations using this equation; however, they must understand the underlying concepts and applications.</p> | | | | | | | | |

| RATE AND GROWTH | | Water Potential (Ψ) |
|--|--|--|
| Rate $\frac{dY}{dt}$ Population Growth $\frac{dN}{dt} = B - D$ Exponential Growth $\frac{dN}{dt} = r_{\max} N$ Logistic Growth $\frac{dN}{dt} = r_{\max} N \left(\frac{K - N}{K} \right)$ | dY = amount of change dt = change in time B = birth rate D = death rate N = population size K = carrying capacity r_{\max} = maximum per capita growth rate of population | $\Psi = \Psi_p + \Psi_s$ Ψ_p = pressure potential Ψ_s = solute potential <p>The water potential will be equal to the solute potential of a solution in an open container because the pressure potential of the solution in an open container is zero.</p> The Solute Potential of the Solution $\Psi_s = -iCRT$ i = ionization constant (1.0 for sucrose because sucrose does not ionize in water) C = molar concentration R = pressure constant ($R = 0.0831$ liter bars/mole K) T = temperature in Kelvin ($^{\circ}\text{C} + 273$) |
| SIMPSON'S DIVERSITY INDEX Diversity Index = $1 - \sum \left(\frac{n}{N} \right)^2$ n = total number of organisms of a particular species N = total number of organisms of all species | | $\text{pH}^* = -\log[\text{H}^+]$ |
| SURFACE AREA AND VOLUME | | |
| Surface Area of a Sphere $SA = 4\pi r^2$ Surface Area of a Rectangular Solid $SA = 2lh + 2lw + 2wh$ Surface Area of a Cylinder $SA = 2\pi rh + 2\pi r^2$ Surface Area of a Cube $SA = 6s^2$ | Volume of a Sphere $V = \frac{4}{3}\pi r^3$ Volume of a Rectangular Solid $V = lwh$ Volume of a Right Cylinder $V = \pi r^2 h$ Volume of a Cube $V = s^3$ | r = radius l = length h = height w = width s = length of one side of a cube SA = surface area V = volume |
| *For the purposes of the AP Exam, students will not be required to perform calculations using this equation; however, they must understand the underlying concepts and applications. | | |